© Paul M. Wolff Co. 1977 FTM Corp.

MATERIAL SAFETY DATA SHEET

SECTION I - IDENTIFICATION OF PRODUCT

PRODUCT CLASS MANUFACTURER'S NAME & ADDRESS

Paul M. Wolff Co., Inc.

460 North Geneva Road.

PRODUCT NAME

Floor sealer

DATE OF PREPARATION

ACRI-SHEEN (water-borne)

01-16-87

EMERGENCY TELEPHONE NUMBER

Lindon, UT 84042

(877) 974-0630

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

----INGREDIENT----C.A.S. OSHA PEL ACGIH TLV OTHER LIMITS

MATERIAL DESCRIPTION REGISTRY NO. RECOMMENDED (OPTIONAL)

LEL

Resin (Rosin Acids) 8050-09-7 N/D N/D

Petroleum oil 5mg/m(3) 5mg/m(3) As oilmist

Diesel Fuel N/DN/D

SECTION III - PHYSICAL DATA

BOILING POINT: N/D SPECIFIC GRAVITY: 0.85

VAPOR PRESSURE: N/D

VAPOR DENSITY: GREATER 1 (AIR - 1)

EVAPORATION RATE: N/D

H2O SOLUBLE: VERY SLIGHT

APPEARANCE AND ODOR: AMBER LIQUID, DIESEL FUEL ODOR

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: 140 DEG F FLAMMABLE LIMITS: UEL (% V IN AIR) (METHOD USED) PENSKY-MARTEN N/A N/A

EXTINGUISHING MEDIA: DRY CHEMICAL, FOAM, CARBON DIOXIDE.

SPECIAL FIRE FIGHTING PROCEDURES: WEAR SELF-CONTAINED BREATHING APPARATUS IF ENTERING A CONFINED AREA. WATER SHOULD BE USED TO KEEP FIRE-EXPOSED CONTAINERS COOL TO PREVENT RUPTURE.

UNUSUAL FIRE AND EXPLOSION HAZARDS: CLOSED CONTAINERS MAY EXPLODE (DUE TO BUILD-UP OF PRESSURE) WHEN EXPOSED TO EXTREME HEAT.

SECTION V - REACTIVITY DATA

STABILITY: STABLE

STABILITY CONDITIONS TO AVOID: EXCESSIVE HEAT, SPARKS, OPEN FLAMES AND FIRE. INCOMPATIBILITY (MATERIALS TO AVOID CONTACT WITH):: STRONG OXIDIZING AGENTS.

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON DIOXIDE AND CARBON MONOXIDE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

POLYMERIZATION CONDITIONS TO AVOID: NONE

SECTION VI - HEALTH HAZARD DATA CONTINUED

INGESTION: YES ROUTES OF ENTRY: INHALATION: YES SKIN:YES

HEALTH HAZARDS (ACUTE & CHRONIC):

EYES: MODERATELY IRRITATING.

SKIN: MAY CAUSE SKIN IRRITATION. MAY CAUSE CHEMICAL BURNS

INHALATION: HEADACHE, DIZZINESS

INGESTION: POSSIBLE IRRITATION, NAUSEA OR DIARRHEA AND POSSIBLE COLLAPSE.

TOXIC. CARCINOGENICITY:

INGREDIENTS ARE NOT KNOWN CARCINOGENS.

SIGNS AND SYMPTOMS OF EXPOSURE:

RESPIRATORY TRACT IRRITATION, SKIN IRRITATION, DIZZINESS OR LIGHTHEADEDNESS, IRRITATION OF EYES

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: NONE KNOWN

EMERGENCY AND FIRST AID PROCEDURES:

EYES: FLUSH WITH LARGE AMOUNTS OF WATER HOLDING EYELIDS OPEN. GET PROMPT MEDICAL ATTENTION.

SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER.

INHALATION: REMOVE TO FRESH AIR. GET MEDICAL ATTENTION. IF BREATHING STOPPED, GIVE ARTIFICIAL RESPIRATION. IF INGESTION: DO NOT INDUCE VOMITING, GET PROMPT MEDICAL ATTENTION, POSSIBLE COLLAPSE

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE OF MATERIAL SPILLAGE:

ELIMINATE SOURCES OF IGNITION. CONTAIN SPILL. PREVENT FROM ENTERING SEWERS OR WATERWAYS. USE ABSORBENT MATERIAL SUCH AS SAND, EARTH, VERMICULITE, ETC.

WASTE DISPOSAL METHODS:

BURN IN INCINERATOR OR DISPOSE OF IN APPROVED CHEMICAL LANDFILL ACCORDING TO ALL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:

AVOID OVERHEATING, AVOID FREEZING, DO NOT GET IN EYES, ON SKIN OR CLOTHING, DO NOT BREATHE VAPOR OR MIST. USE ONLY WITH ADEQUATE VENTILATION. KEEP CONTAINERS COOL AND AWAY FROM SOURCES OF IGNITION.

OTHER PRECAUTIONS:

SMOKING, FLAMES AND SPARKS SHOULD NOT BE PERMITTED IN STORAGE AREAS.

SECTION VIII - CONTROL MEASURES

RESPIRATORY PROTECTION (SPECIFY TYPE):

WEAR SUITABLE NIOSH APPROVED RESPIRATOR WHERE VAPORS OR MIST IS PRESENT.

VENTILATION:

LOCAL EXHAUST RECOMMENDED.

MECHANICAL (GENERAL) RECOMMENDED.

SPECIAL N/A

OTHER N/A

PROTECTIVE GLOVES: IMPERVIOUS GLOVES.

EYE PROTECTION: CHEMICAL SAFETY GOGGLES.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: PROTECTIVE CLOTHING. DISCARD OR WASH CLOTHING IF CONTAMINATED. EMERGENCY EYEWASH.

WORK HYGIENIC PRACTICES: EMERGENCY SHOWER